



More time working, less time searching.

FESTOOL

SYSTAINER, SORTAINER and Systainer-Port 16

Application overview | 339

SYSTAINER T-LOC | 340

SORTAINER | 341

Systainer-Port | 342

Variants and accessories | 344

01

02

03

04

05

06

07

08

09

10

11

12

13

14

15

16

17

Festool's thoughts on the issue of "Making work easier" have always been a driving incentive for innovation. One of these innovations emerged in 1993 and has gone from strength to strength ever since: the SYSTAINER. A revolutionary system for organising, packing and transporting rolled into one. Never before has equipment been organised so systematically and so much time saved as a result.

SYSTAINER, SORTAINER and Systainer-Port

Order can be so intelligent.



Organised materials, tools and accessories for maximum time savings.

Unpack, finish your work, pack away. Find instead of searching for. Always securely packed. T-LOC SYSTAINERS and SORTAINERS give you a decisive edge on a daily basis.

You are able to guarantee extra mobility, for example practical linking with the CT mobile dust extractors, integrated in a Systainer-Port

or combined with a roll board with load capacity of up to 50 kg. Machines, accessories and consumable materials are well protected and stored away tidily – making a perfect impression on customers. Different sizes and flexible modules make sure your tools are easy to organise and relocate.

Benefits at a glance:

- Permanent organisation, clear overview, flexible modules
- Saves significant time and reduces effort when locating and moving tools
- Simple, compact transportation
- Professional appearance to customers



3 functions in one: Lock. Open. Connect. With the T-LOC.



All present, correct and within easy reach: inserts, inlays, containers etc for modular organisation and transportation of your equipment.

FESTOOL The system



At Festool, we do not only think in terms of tools, but also in terms of systems so that you can work more quickly, easily and efficiently.

Rolling base.

Upwardly mobile: the rolling base allows quick transportation at your workplace or on your customer's premises.

Rolling base on page 349


Systainer-Ports.

For the workshop: Customised adaptation to all SYSTAINER and SORTAINER heights, maximum utilisation of space.

Systainer-Ports from page 342

Application overview – SYSTAINER, SORTAINER and Systainer-Port

The practical SYSTAINER T-LOC, SORTAINER and Systainer Ports are mobile organisers that can be used for many purposes. Not only on their own, but also in combination with other Festool products. The following table shows a selection of the numerous uses and helps you in selecting a suitable product.



	SYSTAINER T-LOC	Maxi-Systainer	Mini Systainer	SORTAINER	Systainer-Port
Organisation/Storage					
Power tools	● ¹⁾	● ¹⁾		○ ²⁾	● ³⁾
Sundries	● ¹⁾	○	● ¹⁾	●	● ³⁾
Abrasives	● ¹⁾			○	● ³⁾
Cartridges	● ¹⁾	○		○	● ³⁾
Hand tools	● ¹⁾	○	○	●	● ³⁾
Combinations					
Roll board	●			●	
CT mobile dust extractors	●			●	
SYSTAINER	●	●		●	●
Maxi-Systainer	●	●		●	
Mini Systainer			●		
SORTAINER	●	●		●	●
Use/Transportation					
Workshop	●	●	●	●	●
Construction site	●	●	●	●	○

- Appropriate
- Very appropriate
- Extremely appropriate

- ¹⁾ In combination with insert
- ²⁾ Only with Sys 3-Sort/4
- ³⁾ In combination with a suitable SYSTAINER or SORTAINER



Inlays and inserts.

A wide range of inlays and inserts, eg deep-drawn inserts, diced foam insert set, are available for sundries or tools.

Inserts from page 348

Special sets.

Time-saving: complete practical application sets neatly arranged, eg hand tool SYSTAINER.

Special sets from page 348

SYSTAINER and SORTAINER.

Systainers/Sortainers are available in different sizes and in a variety of designs.

Systainers/Sortainers from page 340

SYSTAINER, SORTAINER and Systainer-Port

SYSTAINER T-LOC

Lock. Open. Connect. With a single turn.

Engage in position, turn forwards and you're done. The T-LOC SYSTAINERS were designed to fit on CT mobile dust extractors with SYS-Dock, as well as all previous models of Festool SYSTAINER and are opened and connected with one another with a single turn. Modern design with rounded corners for safer transportation.



Sophisticated.

When two T-LOC SYSTAINERS are connected to one another, the bottom SYSTAINER can still be opened.



Quick and easy to operate.

Even one-handed. The central control element T-LOC combines 3 functions in one. LOC stands for Lock, Open, Connect.



No possibility of confusion.

Labelling panels for inserting business cards or labels that you can create yourself and design individually are available on the Festool webpage www.festool.co.uk/service.



Can be carried upright.

An optional additional handle can be mounted for sizes 1 and 2. Both handles boast an ergonomic design and ensure optimal carrying comfort.



Saves time and space.

The SYSTAINER T-LOCs can be quickly combined together and are compatible with CT mobile dust extractors, also Sys-Port, roll board, the WCR Workcenter and all previous models of Festool SYSTAINER, of course









Scope of delivery	Order no.
SYSTAINER T-LOC SYS 1 TL 1x cover for label field, Dimensions (L x W x H) 396 x 296 x 105 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 112 mm, Inner dimensions (L x W x H) 383 x 273 x 75 mm, Weight 1,3 kg	497563
SYSTAINER T-LOC SYS 2 TL 1x cover for label field, Dimensions (L x W x H) 396 x 296 x 157,5 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 164,5 mm, Inner dimensions (L x W x H) 383 x 267 x 127,5 mm, Weight 1,5 kg	497564
SYSTAINER T-LOC SYS 3 TL 1x cover for label field, Dimensions (L x W x H) 396 x 296 x 210 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 217 mm, Inner dimensions (L x W x H) 382 x 266 x 180 mm, Weight 1,8 kg	497565
SYSTAINER T-LOC SYS 4 TL 1x cover for label field, Dimensions (L x W x H) 396 x 296 x 315 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 322 mm, Inner dimensions (L x W x H) 382 x 266 x 285 mm, Weight 2,1 kg	497566
SYSTAINER T-LOC SYS 5 TL 1x cover for label field, Dimensions (L x W x H) 396 x 296 x 420 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 427 mm, Inner dimensions (L x W x H) 381 x 265 x 384 mm, Weight 2,7 kg	497567
Cover AB-BF SYS TL 55x85mm /10 cover for labelling panels SYS T-LOC, protects the labelling panels on the SYSTAINER T-LOC from damage and moisture, qty. in pack 10 piece(s), in self-service display pack	497855
Additional hand grip ZSG -Sys 1/2 TL / 1 for carrying SYS 1 T-LOC and SYS 2 T-LOC upright, in self-service display pack	497856

SORTAINER – The intelligent supplement to the SYSTAINER.

Reliable organisation with the drawer principle. The SORTAINER range gives you more options for organisation and transportation. Sundries such as nails, dowels or screws are stowed away as tidily as hand tools. The ideal supplement to your SYSTAINER!



<p>Stability. An intermediate base reinforced with aluminium profiles and a honey-comb structure ensures maximum robustness.</p>		01
<p>Many variations. The SORTAINER is available in many versions, eg with 12 small drawers. Or 6 small and 3 medium drawers.</p>		02
<p>Access from both sides. All parts are instantly accessible from both sides.</p>		03
<p>Pull-out lock / Individual locking. These features prevent the drawers from being removed or falling out unintentionally.</p>		04
<p>Flexible arrangement. Flexible, individual arrangement of drawers and compartments by inserting dividers.</p>		05
<p>Compatible. SYSTAINER and SORTAINER fit in the system and are compatible with the Systainer-Port mobile storage system. CT mobile dust extractors, the WCR 1000 Workcenter and the roll board can also be interconnected.</p>		06
		07
		08
		09
		10
		11
		12
		13
		14
		15
		16
		17

Scope of delivery	Order no.
2 dividers per drawer, Dimensions (L x W x H) 395 x 295 x 210 mm	
SORTAINER SYS 3-SORT/4 small drawer (L x W x D) 255x75x30 mm, medium drawer (L x W x D) 255x165x30, large drawer (L x W x D) 255x255x85, 2 small drawers, medium-sized drawer, large drawer, 8 label holders, 8 lettering strips, Weight 4,0 kg	491522
SORTAINER SYS 3-SORT/6 medium drawer (L x W x D) 255x165x30, 6 mid size drawers, 8 label holders, 8 lettering strips, Weight 4,9 kg	491984
SORTAINER SYS 3-SORT/9 small drawer (L x W x D) 255x75x30 mm, medium drawer (L x W x D) 255x165x30, 6 small drawers, 3 mid size drawers, 9 label holders, 16 labels, Weight 5,1 kg	491985
SORTAINER SYS 3-SORT/12 small drawer (L x W x D) 255x75x30 mm, 12 small drawers, 12 label holders, 16 labels, Weight 5,3 kg	491986

SYSTAINER, SORTAINER and Systainer-Port

Systainer-Port

Organisation on wheels.

The Systainer-Port: the mobile storage system that helps you work more efficiently. It provides enough space for you to store all the tools and working equipment required for a specific task and transport them to your workplace so you can work quickly and efficiently. No more time-consuming searches for individual components that you require for a specific task.

Storage system.

Quick and easy access to parts at the workplace, assisted by clear labelling.

Maximum space utilisation.

Height-adjustable drawers can be adapted to different SYSTAINER heights. A two-way drawer lock for safe use of drawers.

Stability.

The locking brakes prevent the Systainer-Port from inadvertently rolling away.



Safety.

The anti-slip rubber surface can be used as a practical storage space for tools and work-pieces. The security lock also protects against theft.






Long service life.

The rugged, sturdy sheet steel design ensures maximum resilience and a long service life.

Mobility.

Bearing-mounted steering rollers make the Systainer-Port permanently mobile (only as an accessory on Systainer-Port 500/2).

How many SYSTAINERS fit into a Systainer-Port? This chart shows the possible combinations:

SYSTAINER size	Sys-Port 500/2						Sys-Port 1000/2																																	
	Number of SYSTAINERS						Number of SYSTAINERS																																	
Version	1	2	3	4	5	6	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	
SYS 1 	3	2	1	-	-	-	8	6	6	5	5	4	4	3	3	3	3	2	2	2	2	2	1	1	1	-	-	-	-	-	-	-	-	2	4	-	1	-	1	
SYS 2 	-	1	-	2	1	-	-	1	-	2	-	1	-	1	2	3	-	1	2	4	-	-	2	3	-	1	1	2	3	4	5	-	-	-	-	-	-	-	-	2
SYS 3/ SORTAINER 	-	-	1	-	1	-	-	-	1	-	-	1	2	-	1	-	1	2	-	-	3	-	2	1	2	-	3	1	-	1	-	4	1	1	-	-	-	2	-	
SYS 4 	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	2	-	-	1	2	-	1	1	-	-	2	-	-	-	1	-	-		
SYS 5 	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	
Drawers required ¹⁾	3	3	2	2	2	1	8	7	7	7	6	6	6	5	6	6	5	5	5	6	5	4	5	5	4	3	4	4	4	5	5	4	3	4	5	2	3	3	4	

¹⁾ The Sys-Port 500 is supplied with 3 drawers, the Sys-Port 1000 with 5 drawers.

Scope of delivery	Order no.
in a carton	
SYS-PORT 500/2 no admission for assembly in car, stable full metal body, 5 labels for drawers, with 3 SYSTAINER telescopic drawers, without SYSTAINER	491921
SYS-PORT 1000/2 no admission for assembly in car, stable full metal body, 5 labels for drawers, with 5 SYSTAINER telescopic drawers, with roller set, 4 ball bearing-mounted swivel castors (2 with locking brakes), without SYSTAINER	491922
Telescopic drawer SYS-PORT/TA/2 5 labels for drawers	491923
Set of castors SYS-PORT R/2 for assembly on SYS-Port, 4 ball bearing-mounted swivel castors (2 with locking brakes), Diameter 75 mm	491932

Reach your objectives more quickly.



T-LOC.

Quick and easy to operate. The central control element of the SYSTAINER T-LOC combines 3 functions in one. With a single turn. LOC stands for Lock, Open, Connect.



Be flexible.

Connect several Systainers and Sortainers to collect and store the right equipment for transportation to your place of work. No more reorganising tool boxes. You can even transport your equipment by attaching it to a CT mobile dust extractor or rolling base.



Sturdy protection.

Machines, accessories and consumable materials are protected against dust, spray water, impacts and extreme temperatures of -40°C to $+90^{\circ}\text{C}$ thanks to the ABS plastic and intelligent ribbing.



Tidy workshop.

Systainer-Ports always keep your workshop tidy. The telescopic drawers can be adjusted to maximise use of the space available. Rollers can be attached to make the Port mobile, if required.



No more searching.

With the SYSTAINER and SORTAINER, you can store your equipment in modules with better organisation than any other storage facility. Never before have your work tools been so well organised!











Less dragging, more pushing.





You can transport up to 50 kg on a rolling base. The rollers are easy to steer, ball bearing-mounted and can be locked via two brakes. The base dimensions are only slightly larger than the SYSTAINER/SORTAINER, allowing you to push it through narrow gaps with minimum effort.

- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08
- 09
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

SYSTAINER, SORTAINER and Systainer-Port

Variants and accessories







		Model	Order no.
SYSTAINER T-LOC			
	SYSTAINER T-LOC 1x cover for label field	SYS 1 TL	497563
	Dimensions (L x W x H) 396 x 296 x 105 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 112 mm, Inner dimensions (L x W x H) 383 x 273 x 75 mm, Weight 1,3 kg		
		SYS 2 TL	497564
	Dimensions (L x W x H) 396 x 296 x 157,5 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 164,5 mm, Inner dimensions (L x W x H) 383 x 267 x 127,5 mm, Weight 1,5 kg		
		SYS 3 TL	497565
	Dimensions (L x W x H) 396 x 296 x 210 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 217 mm, Inner dimensions (L x W x H) 382 x 266 x 180 mm, Weight 1,8 kg		
		SYS 4 TL	497566
	Dimensions (L x W x H) 396 x 296 x 315 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 322 mm, Inner dimensions (L x W x H) 382 x 266 x 285 mm, Weight 2,1 kg		
		SYS 5 TL	497567
	Dimensions (L x W x H) 396 x 296 x 420 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 427 mm, Inner dimensions (L x W x H) 381 x 265 x 384 mm, Weight 2,7 kg		
SYSTAINER T-LOC with lid compartment			
	SYSTAINER T-LOC 1x cover for label field	SYS 1 TL-DF	497851
	Dimensions (L x W x H) 396 x 296 x 105 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 112 mm, Inner dimensions (L x W x H) 383 x 273 x 68 mm, Weight 1,5 kg		
	Dimensions (L x W x H) 396 x 296 x 157,5 mm, Dimensions with floor stand (L x W x H) 396 x 296 x 164,5 mm, Inner dimensions (L x W x H) 383 x 267 x 121 mm, Weight 1,7 kg	SYS 2 TL-DF	497852
	Dimensions (L x W x H) 396 x 296 x 210 mm, Dimensions with floor stand (L x W x H) 396 x 295 x 217 mm, Inner dimensions (L x W x H) 382 x 266 x 173 mm, Weight 2 kg	SYS 3 TL-DF	498390
Maxi-Systainer			
	SYSTAINER to connect with SYS 1, SYS 2, SYS 3, SYS 4, SYS 5, SORTAINER		
	Dimensions (L x W x H) 590 x 390 x 210 mm, Weight 4,0 kg	SYS MAXI	490701
	Dimensions (L x W x H) 590 x 390 x 157,5 mm, Weight 3,0 kg	SYS MAXI 2	492582
Mini Systainer			
	SYSTAINER not able to connect with SYS 1, SYS 2, SYS 3, SYS 4, SYS 5, SORTAINER, Dimensions (L x W x H) 265 x 170 x 70 mm, Weight 0,4 kg, SYSTAINER size SYS MINI	SYS MINI	460853






		Model	Order no.
SORTAINER			
	SORTAINER 2 dividers per drawer, Dimensions (L x W x H) 395 x 295 x 210 mm		
	small drawer (L x W x D) 255x75x30 mm, medium drawer (L x W x D) 255x165x30, large drawer (L x W x D) 255x255x85, 2 small drawers, medium-sized drawer, large drawer, 8 label holders, 8 lettering strips, Weight 4,0 kg	SYS 3-SORT/4	491522
	medium drawer (L x W x D) 255x165x30, 6 mid size drawers, 8 label holders, 8 lettering strips, Weight 4,9 kg	SYS 3-SORT/6	491984
	small drawer (L x W x D) 255x75x30 mm, medium drawer (L x W x D) 255x165x30, 6 small drawers, 3 mid size drawers, 9 label holders, 16 labels, Weight 5,1 kg	SYS 3-SORT/9	491985
	small drawer (L x W x D) 255x75x30 mm, 12 small drawers, 12 label holders, 16 labels, Weight 5,3 kg	SYS 3-SORT/12	491986

- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08
- 09
- 10
- 11
- 12
- 13
- 14
- 15
- 16**
- 17

SYSTAINER, SORTAINER and Systainer-Port

Variants and accessories








		Model	Order no.
SYSTAINER T-LOC with inlays for Festool machines			
	SYSTAINER T-LOC SYSTAINER size SYS 1 T-LOC	SYS-C 12/15Li	498167
		SYS-CXS	498168
		SYS-LS 130	497664
		SYS-RS/RTS 400	497663
		SYS-T+3	497667
	SYSTAINER T-LOC SYSTAINER size SYS 2 T-LOC	SYS-DS/DTS 400	497676
		SYS-DX	497670
		SYS-EHL	497673
		SYS-ETS 125/ES 125	497674
		SYS-OFK 500	497675
		SYS-RAS 115	497672
		SYS-RO 150 E/WTS 150	497662
		SYS-RS 100/RS 1	497668
		SYS-RS 200/RS 2	497671
		SYS-RS 300/RS 3	497669
	SYSTAINER T-LOC SYSTAINER size SYS 3 T-LOC	SYS-ETS/ES 150	497660
		SYS-HL	497679
		SYS-OF 1010/KF	497678
		SYS-RO 150 FEQ	497680
		SYS-TPE	497677
	SYSTAINER T-LOC SYSTAINER size SYS 4 T-LOC	SYS-PF 1200/ATF/AP 55	497661
		SYS-TS 55	497681
	SYSTAINER T-LOC SYSTAINER size SYS 5 T-LOC	SYS-TS 75	497682
SYSTAINER with inlays for Festool machines			
	SYSTAINER SYSTAINER size SYS MAXI	SYS-BS 75	490751
		SYS-BS 105	490752








		Model	Order no.
SYSTAINER T-LOC with inlays for abrasives			
	SYSTAINER T-LOC		
	with insert for abrasive Ø 115 mm, SYSTAINER size SYS 1 T-LOC	SYS-STF D115	497683
	with insert for abrasives Ø 125 mm, SYSTAINER size SYS 1 T-LOC	SYS-STF D125	497685
	with insert for abrasives 80x133 mm, SYSTAINER size SYS 1 T-LOC	SYS-STF 80x133	497684
	with insert for abrasives STF Delta 100x150, SYSTAINER size SYS 1 T-LOC	SYS-STF Delta 100x150	497686
	with insert for Ø 90 mm abrasives and 93V abrasives, SYSTAINER size SYS 1 T-LOC	SYS-STF RO 90 DX	497687
	with insert for abrasives 115x228mm, SYSTAINER size SYS 2 T-LOC	SYS-STF 115x228	497688
	with insert for abrasives 93x178mm, SYSTAINER size SYS 2 T-LOC	SYS-STF 93x178/93V	497689
	with insert for abrasives Ø 150 mm, SYSTAINER size SYS 3 T-LOC	SYS-STF D150	497690
	with insert for abrasive, dia. 225 mm, SYSTAINER size SYS 4 T-LOC	SYS-STF D225	497691
	with insert for abrasives Ø 150 mm, for grits P80, P180, P280, P400 and 500 according to the Festool "4-step sanding" system, SYSTAINER size SYS 3 T-LOC	SYS-STF D150 4S	497821
T-LOC SYSTAINER with multi-purpose insert			
	SYSTAINER T-LOC		
	with universal insert for sundries, SYSTAINER size SYS 1 T-LOC	SYS 1 UNI	497692
	with single diced foam insert to produce an aperture of any desired shape, SYSTAINER size SYS 1 T-LOC	SYS 1 VARI	497693
	with double diced foam insert to produce an aperture of any desired shape, SYSTAINER size SYS 2 T-LOC	SYS 2 VARI	497696
	with foam insert, for safe storage of cutters D 8, D 12	SYS-OF D8/D12	497695
	with individual removable plastic containers, SYSTAINER size SYS 1 T-LOC	SYS 1 BOX	497694
	Plastic container for SYSTAINER SYS 1 BOX T-LOC for SYS 1 T-LOC box, in a carton		
	red, Dimensions (L x W x H) 49 x 49 x 71 mm, qty. in pack 12 piece(s)	BOX 49x49/12 SYS1 TL	498038
	yellow, Dimensions (L x W x H) 49 x 98 x 71 mm, qty. in pack 6 piece(s)	BOX 49x98/6 SYS1 TL	498039
	blue, Dimensions (L x W x H) 98 x 98 x 71 mm, qty. in pack 3 piece(s)	BOX 98x98/3 SYS1 TL	498040
	green, Dimensions (L x W x H) 98 x 147 x 71 mm, qty. in pack 2 piece(s)	BOX 98x147/2 SYS1 TL	498041
	orange, Dimensions (L x W x H) 49 x 245 x 71 mm, qty. in pack 2 piece(s)	BOX 49x245/2 SYS1 TL	498042
Deep-drawer insert for SYS 1 T-LOC box, insert for fixing and positioning boxes, in a carton	BOX TZE-SYS 1 TL	498043	
	Plastic container for Systainer SYS 1 BOX for SYS 1 BOX, in a carton		
	red, Dimensions (L x W x H) 54 x 54 x 63 mm, qty. in pack 12 piece(s)	BOX 54x54/12 SYS 1	487657
	yellow, Dimensions (L x W x H) 108 x 54 x 63 mm, qty. in pack 6 piece(s)	BOX 108x54/6 SYS 1	487658
	blue, Dimensions (L x W x H) 108 x 108 x 63 mm, qty. in pack 3 piece(s)	BOX 108x108/3 SYS 1	487659
	green, Dimensions (L x W x H) 162 x 108 x 63 mm, qty. in pack 2 piece(s)	BOX 162x108/2 SYS 1	487660

01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17

SYSTAINER, SORTAINER and Systainer-Port

Variants and accessories

		Model	Order no.
SYSTAINER T-LOC with insert for hand tools			
	SYSTAINER T-LOC the required tool can be found quickly since all hand tools are clearly displayed for the joiner, scope of delivery without tools, wooden insert, installation recommendations, SYSTAINER size SYS 4 T-LOC	SYS-HWZ	497658
Hole drilling system			
	Hole drilling set for OF 900, OF 1000, OF 1010, OF 1400, guide plate, centering mandrel, operation tool, hinge location cutter cutter HM Ø 35 mm, dowel drill HW Ø 5 mm (V-shaped tip), dowel drill HM Ø 5 mm (with centring bit and pre-cutter), 2 parallel side fences with adjustable stop, 2 clamps FSZ 120, 2 longitudinal stops, in a SYSTAINER SYS 1 T-LOC	LR 32-SYS	584100
Foam inserts for SYSTAINER			
	Foam insert dimpled insert (for lid), base insert and diced insert, qty. in pack 3 piece(s)		
	for SYS 1-5	SYS-VARI SE	487427
	for SYS 1-5 T-LOC	SYS-VARI SE TL	497877
	Diced foam insert set diced sections can be pushed out to produce any desired aperture, qty. in pack 2 piece(s)		
	for SYS 1-5	SYS-VARI RM	487428
	for SYS 1-5 T-LOC	SYS-VARI RM TL	497878
Lids and bottoms for Systainers			
	Cover inlay hard foam, flat		
	for SYS 1 BOX	DE SYS 1-5	491641
	for SYS 1 T-LOC box, for DOMINO range	DE SYS 1-5 TL	497880
	Cover pad with knobs		
	for SYS MAXI, Dimensions (L x W x H) 560 x 340 x 30 mm	SE-DP SYS-MAXI	491633
	for SYS 1-5, Dimensions (L x W x H) 355 x 245 x 30 mm	SE-DP SYS 1-5	491640
	for SYS 1-5 T-LOC, Dimensions (L x W x H) 355 x 245 x 30 mm	SE-DP SYS 1-5 TL	498044
	for SYS MINI	SE-DP SYS-MINI	491638
	Tool cover scope of delivery without tools, in a carton		
	for SYS 1-5	WZD-SYS	491643
	for SYS 1-5 T-LOC	WZD-SYS TL	497879
	Base pad		
	for SYS MAXI	SE-BP SYS-MAXI	491632
	for SYS 1-5	SE-BP SYS 1-5	491642
	for SYS 1-5 T-LOC	SE-BP SYS 1-5 TL	498045

		Model	Order no.
Deep-drawer insert			
	Multi-purpose insert for SYS MINI	TZE-UNI SYS-MINI	491634
Deep-drawer insert			
	for SYS MINI, with 6 dispositions, dimension of the boxes 72 x 68 x 40 mm	TZE-6 SYS-MINI	491635
	for SYS MINI, with 5 dispositions, dimension of the boxes 140 x 40 x 40 mm	TZE-5 SYS-MINI	491636
	for SYS MINI, with 3 dispositions, dimension of the boxes 230 x 42 x 40 mm	TZE-3 SYS-MINI	491637
	for SYS 1 T-LOC box, insert for fixing and positioning boxes, in a carton	BOX TZE-SYS 1 TL	498043
	Telescopic frame frame attachment, dimensions (L x W x H) 395 x 295 x 107 mm, for raising SYS 4 to SYS 5, not appropriate for SYSTAINER T-LOC, in a carton	TKR-SYS	491631
	Cartridge inlay to store cartridges, Height 130 mm, in a carton		
	for SYS 4 with telescopic frame or SYS 5	TZE-KT SYS 4	491639
	for SYS 5 T-LOC	TZE-KT SYS 5 TL	497876
Other accessories			
	Roll board for transporting Systainers of sizes 1-4 and Sortainers, with 4 guide rollers on ball bearings and locking brake, max. load capacity: 50 kg, in a carton	RB SYS 1-5	492388
	Additional hand grip for carrying SYS 1 T-LOC and SYS 2 T-LOC upright	ZSG -Sys 1/2 TL / 1	497856
	Cover cover for labelling panels SYS T-LOC, protects the labelling panels on the SYSTAINER T-LOC from damage and moisture, qty. in pack 10 piece(s)	AB-BF SYS TL 55x85mm /10	497855

01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17